

i

✓ OK
✗ not OK

1

2

3

4

5 max. 280 °C
max. 536 °F

6

7

8

9

10

11

12

13

14

15

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

BLANCO GmbH + Co KG
Service
Tel.: +49 7045 44-81 419
info@blanco.de
www.blanco-germany.com


BLANCO








Art.-No.: 520 784

Art.-No.: 520 523



141900 10/2017

BLANCO SILGRANIT®







| | C | A +2 mm / -1 mm | B |
|---------------------------|----------|-----------------|--------|
| BLANCO ADON XL 6 S | +3,5 mm | 960 mm | 460 mm |
| BLANCO ALAROS 6 S | +270 mm | 1140 mm | 490 mm |
| BLANCO ARTAGO 6 | +55 mm | 490 mm | 490 mm |
| BLANCO AXIA II 45 S | +26 mm | 756 mm | 480 mm |
| BLANCO AXIA II 5 S | +6 mm | 891 mm | 480 mm |
| BLANCO AXIA II 6 S | +6 mm | 976 mm | 480 mm |
| BLANCO AXIA II 8 | -17 mm | 766 mm | 480 mm |
| BLANCO AXIA 8 Fun | -17 mm | 766 mm | 480 mm |
| BLANCO AXIA II 8 S | +6 mm | 1136 mm | 480 mm |
| BLANCO AXIA III 45 S | +10 mm | 760 mm | 490 mm |
| BLANCO AXIA III 5 S | -15,5 mm | 895 mm | 490 mm |
| BLANCO AXIA III 6 S | -15 mm | 980 mm | 490 mm |
| BLANCO AXIA III XL 6 S | -15 mm | 980 mm | 490 mm |
| BLANCO CLASSIC 45 S | +10 mm | 756 mm | 486 mm |
| BLANCO CLASSIC 5 S | +5 mm | 891 mm | 486 mm |
| BLANCO CLASSIC 6 S | +6 mm | 976 mm | 486 mm |
| BLANCO CLASSIC 8 | +20 mm | 840 mm | 480 mm |
| BLANCO CLASSIC 8 S | +8 mm | 1136 mm | 486 mm |
| BLANCO CLASSIC Neo 45 S | +3 mm | 760 mm | 490 mm |
| BLANCO CLASSIC Neo 5 S | +3 mm | 895 mm | 490 mm |
| BLANCO CLASSIC Neo 6 S | +3 mm | 980 mm | 490 mm |
| BLANCO CLASSIC Neo XL 6 S | +3 mm | 980 mm | 490 mm |
| BLANCO COLLECTIS 6 S | -5 mm | 984 mm | 494 mm |
| BLANCO DALAGO 45 | -3 mm | 445 mm | 490 mm |
| BLANCO DALAGO 5 | -3 mm | 495 mm | 490 mm |
| BLANCO DALAGO 6 | -3 mm | 595 mm | 490 mm |
| BLANCO DALAGO 8 | -3 mm | 795 mm | 490 mm |
| BLANCO ELON 45 S | -16 mm | 630 mm | 480 mm |
| BLANCO ELON XL 6 S | -16 mm | 760 mm | 480 mm |
| BLANCO ELON XL 8 S | -100 mm | 840 mm | 480 mm |
| BLANCO ENOS 40 S | +0 mm | 660 mm | 480 mm |
| BLANCO ETAGON 6 | -6 mm | 588 mm | 498 mm |
| BLANCO FAVOS 45 S | +10 mm | 842 mm | 417 mm |
| BLANCO FAVOS Mini | +10 mm | 762 mm | 417 mm |
| BLANCO FAVOS 6 S | -30 mm | 842 mm | 417 mm |
| BLANCO FAVUM 45 S | -5 mm | 840 mm | 415 mm |
| BLANCO FAVUM XL 6 S | -5 mm | 840 mm | 415 mm |
| BLANCO LAGO | -5 mm | 591 mm | 486 mm |
| BLANCO LEGRA 45 S | +0 mm | 760 mm | 480 mm |
| BLANCO LEGRA 6 | +17,5 mm | 565 mm | 480 mm |
| BLANCO LEGRA 6 S | +0 mm | 980 mm | 480 mm |
| BLANCO LEGRA 6 S Compact | -24 mm | 760 mm | 480 mm |
| BLANCO LEGRA XL 6 S | -3 mm | 840 mm | 480 mm |
| BLANCO LEGRA 8 S | -4 mm | 1140 mm | 480 mm |
| BLANCO LEXA 40 S | -4 mm | 660 mm | 480 mm |
| BLANCO LEXA 45 S | -3 mm | 840 mm | 480 mm |
| BLANCO LEXA 5 S | -4 mm | 930 mm | 480 mm |
| BLANCO LEXA 6 S | -4 mm | 980 mm | 480 mm |
| BLANCO LEXA 8 | -20 mm | 760 mm | 480 mm |





| | C | A +2 mm / -1 mm | B |
|-----------------------------------|---------|-----------------|--------|
| BLANCO LEXA 8 S | -20 mm | 1140 mm | 480 mm |
| BLANCO METRA 45 S | -3 mm | 760 mm | 480 mm |
| BLANCO METRA 45 S Compact | -3 mm | 660 mm | 480 mm |
| BLANCO METRA 5 S | -3 mm | 840 mm | 480 mm |
| BLANCO METRA 6 | -3 mm | 595 mm | 480 mm |
| BLANCO METRA 6 S | -3 mm | 980 mm | 480 mm |
| BLANCO METRA 6 S Compact | -10 mm | 760 mm | 480 mm |
| BLANCO METRA 8 S | -3 mm | 1140 mm | 480 mm |
| BLANCO METRA 9 | -10 mm | 840 mm | 480 mm |
| BLANCO METRA XL 6 S | -3 mm | 980 mm | 480 mm |
| BLANCO MEVIT XL 6 S | -16 mm | 980 mm | 460 mm |
| BLANCO NAYA 6 | -2,5 mm | 595 mm | 490 mm |
| BLANCO NAYA 8 | -2,5 mm | 795 mm | 480 mm |
| BLANCO NAYA XL 9 | -30 mm | 840 mm | 490 mm |
| BLANCO NAYA 8 S | +340 mm | 1140 mm | 480 mm |
| BLANCO NOVA 45 S | +2 mm | 786 mm | 476 mm |
| BLANCO NOVA 5 S | +2 mm | 836 mm | 476 mm |
| BLANCO NOVA 6 | +2 mm | 592 mm | 476 mm |
| BLANCO NOVA 6 S | +0 mm | 976 mm | 476 mm |
| BLANCO NOVA 8 S | +2 mm | 1136 mm | 476 mm |
| BLANCO PLENTA | -30 mm | 840 mm | 480 mm |
| BLANCO PLEON 5 | -2,5 mm | 495 mm | 490 mm |
| BLANCO PLEON 6 | -2,5 mm | 595 mm | 490 mm |
| BLANCO PLEON 6 Split | -2,5 mm | 595 mm | 490 mm |
| BLANCO PLEON 8 | -60 mm | 680 mm | 490 mm |
| BLANCO PLEON 9 | -30 mm | 840 mm | 480 mm |
| BLANCO PRECIS Medium with drainer | -16 mm | 760 mm | 480 mm |
| BLANCO SITY XL 6 S | -3 mm | 980 mm | 480 mm |
| BLANCO SONA 45 S | +2 mm | 760 mm | 480 mm |
| BLANCO SONA 5 S | +2 mm | 840 mm | 480 mm |
| BLANCO SONA 6 S | +2 mm | 980 mm | 480 mm |
| BLANCO SONA XL 6 S | +2 mm | 980 mm | 480 mm |
| BLANCO SONA 8 S | +2 mm | 1140 mm | 480 mm |
| BLANCO TRISONA 6 S | -10 mm | 980 mm | 490 mm |
| BLANCO ZENAR 45 S | +14 mm | 840 mm | 490 mm |
| BLANCO ZENAR 5 S | +14 mm | 895 mm | 490 mm |
| BLANCO ZENAR XL 6 S | -16 mm | 980 mm | 490 mm |
| BLANCO ZENAR XL 6 S Compact | +14 mm | 760 mm | 490 mm |
| BLANCO ZENAR XL 6 S DGP | -16 mm | 980 mm | 490 mm |
| BLANCO ZIA 40 S | -11 mm | 595 mm | 480 mm |
| BLANCO ZIA 45 S | -10 mm | 760 mm | 480 mm |
| BLANCO ZIA 45 SL | -10 mm | 840 mm | 480 mm |
| BLANCO ZIA 5 S | -10 mm | 840 mm | 480 mm |
| BLANCO ZIA 6 S | -11 mm | 980 mm | 480 mm |
| BLANCO ZIA XL 6 S | -10 mm | 980 mm | 480 mm |
| BLANCO ZIA XL 6 S Compact | -10 mm | 760 mm | 480 mm |
| BLANCO ZIA 8 S | -5 mm | 1140 mm | 480 mm |
| BLANCO ZIA 9 | -30 mm | 840 mm | 480 mm |



BLANCO



BLANCODARAS HD





1

i







BLANCODARAS HD






www.blanco-germany.com/sos



- 1x 11 mm
- 1x 19 mm
- 1x 22 mm





BLANCO

BLANCO GmbH + Co KG
 Technischer Kundendienst
 Tel.: +49 7045 44-81 419
 info@blanco-germany.com
 www.blanco-germany.com