

✓ OK
✗ not OK

1. ✓ OK: Information icon. ✗ not OK: No information icon.

2. ✓ OK: House icon. ✗ not OK: No house icon.

3. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

4. ✗ not OK: Sink with water. ✗ not OK: Sink with no water.

5. ✓ OK: Sink with water. ✗ not OK: Sink with no water. max. 280 °C / max. 536 °F.

6. ✗ not OK: Sink with water. ✗ not OK: Sink with no water.

7. ✗ not OK: Sink with water. ✗ not OK: Sink with no water.

8. ✗ not OK: Sink with water. ✗ not OK: Sink with no water.

9. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

10. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

11. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

12. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

13. ✓ OK: Sink with water. ✗ not OK: Sink with no water. PZ 2.

14. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

15. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

1. ✗ not OK: Sink with water. ✗ not OK: Sink with no water.

2. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

3. ✓ OK: Sink with water. ✗ not OK: Sink with no water. 1x > 2 h. 60 °C / 140 °F.

4. ✓ OK: Sink with water. ✗ not OK: Sink with no water.

5. ✗ not OK: Sink with water. ✗ not OK: Sink with no water.

6. ✗ not OK: Sink with water. ✗ not OK: Sink with no water.

BLANCO GmbH + Co KG
Service
Tel.: +49 7045 44-81 419
info@blanco.de
www.blanco-germany.com


BLANCO








Art.-No.: 520 784

Art.-No.: 520 523



141900 10/2017

BLANCO SILGRANIT®







	C	A +2 mm / -1 mm	B
BLANCO ADON XL 6 S	+3,5 mm	960 mm	460 mm
BLANCO ALAROS 6 S	+270 mm	1140 mm	490 mm
BLANCO ARTAGO 6	+55 mm	490 mm	490 mm
BLANCO AXIA II 45 S	+26 mm	756 mm	480 mm
BLANCO AXIA II 5 S	+6 mm	891 mm	480 mm
BLANCO AXIA II 6 S	+6 mm	976 mm	480 mm
BLANCO AXIA II 8	-17 mm	766 mm	480 mm
BLANCO AXIA 8 Fun	-17 mm	766 mm	480 mm
BLANCO AXIA II 8 S	+6 mm	1136 mm	480 mm
BLANCO AXIA III 45 S	+10 mm	760 mm	490 mm
BLANCO AXIA III 5 S	-15,5 mm	895 mm	490 mm
BLANCO AXIA III 6 S	-15 mm	980 mm	490 mm
BLANCO AXIA III XL 6 S	-15 mm	980 mm	490 mm
BLANCO CLASSIC 45 S	+10 mm	756 mm	486 mm
BLANCO CLASSIC 5 S	+5 mm	891 mm	486 mm
BLANCO CLASSIC 6 S	+6 mm	976 mm	486 mm
BLANCO CLASSIC 8	+20 mm	840 mm	480 mm
BLANCO CLASSIC 8 S	+8 mm	1136 mm	486 mm
BLANCO CLASSIC Neo 45 S	+3 mm	760 mm	490 mm
BLANCO CLASSIC Neo 5 S	+3 mm	895 mm	490 mm
BLANCO CLASSIC Neo 6 S	+3 mm	980 mm	490 mm
BLANCO CLASSIC Neo XL 6 S	+3 mm	980 mm	490 mm
BLANCO COLLECTIS 6 S	-5 mm	984 mm	494 mm
BLANCO DALAGO 45	-3 mm	445 mm	490 mm
BLANCO DALAGO 5	-3 mm	495 mm	490 mm
BLANCO DALAGO 6	-3 mm	595 mm	490 mm
BLANCO DALAGO 8	-3 mm	795 mm	490 mm
BLANCO ELON 45 S	-16 mm	630 mm	480 mm
BLANCO ELON XL 6 S	-16 mm	760 mm	480 mm
BLANCO ELON XL 8 S	-100 mm	840 mm	480 mm
BLANCO ENOS 40 S	+0 mm	660 mm	480 mm
BLANCO ETAGON 6	-6 mm	588 mm	498 mm
BLANCO FAVOS 45 S	+10 mm	842 mm	417 mm
BLANCO FAVOS Mini	+10 mm	762 mm	417 mm
BLANCO FAVOS 6 S	-30 mm	842 mm	417 mm
BLANCO FAVUM 45 S	-5 mm	840 mm	415 mm
BLANCO FAVUM XL 6 S	-5 mm	840 mm	415 mm
BLANCO LAGO	-5 mm	591 mm	486 mm
BLANCO LEGRA 45 S	+0 mm	760 mm	480 mm
BLANCO LEGRA 6	+17,5 mm	565 mm	480 mm
BLANCO LEGRA 6 S	+0 mm	980 mm	480 mm
BLANCO LEGRA 6 S Compact	-24 mm	760 mm	480 mm
BLANCO LEGRA XL 6 S	-3 mm	840 mm	480 mm
BLANCO LEGRA 8 S	-4 mm	1140 mm	480 mm
BLANCO LEXA 40 S	-4 mm	660 mm	480 mm
BLANCO LEXA 45 S	-3 mm	840 mm	480 mm
BLANCO LEXA 5 S	-4 mm	930 mm	480 mm
BLANCO LEXA 6 S	-4 mm	980 mm	480 mm
BLANCO LEXA 8	-20 mm	760 mm	480 mm




	C	A +2 mm / -1 mm	B
BLANCO LEXA 8 S	-20 mm	1140 mm	480 mm
BLANCO METRA 45 S	-3 mm	760 mm	480 mm
BLANCO METRA 45 S Compact	-3 mm	660 mm	480 mm
BLANCO METRA 5 S	-3 mm	840 mm	480 mm
BLANCO METRA 6	-3 mm	595 mm	480 mm
BLANCO METRA 6 S	-3 mm	980 mm	480 mm
BLANCO METRA 6 S Compact	-10 mm	760 mm	480 mm
BLANCO METRA 8 S	-3 mm	1140 mm	480 mm
BLANCO METRA 9	-10 mm	840 mm	480 mm
BLANCO METRA XL 6 S	-3 mm	980 mm	480 mm
BLANCO MEVIT XL 6 S	-16 mm	980 mm	460 mm
BLANCO NAYA 6	-2,5 mm	595 mm	490 mm
BLANCO NAYA 8	-2,5 mm	795 mm	480 mm
BLANCO NAYA XL 9	-30 mm	840 mm	490 mm
BLANCO NAYA 8 S	+340 mm	1140 mm	480 mm
BLANCO NOVA 45 S	+2 mm	786 mm	476 mm
BLANCO NOVA 5 S	+2 mm	836 mm	476 mm
BLANCO NOVA 6	+2 mm	592 mm	476 mm
BLANCO NOVA 6 S	+0 mm	976 mm	476 mm
BLANCO NOVA 8 S	+2 mm	1136 mm	476 mm
BLANCO PLENTA	-30 mm	840 mm	480 mm
BLANCO PLEON 5	-2,5 mm	495 mm	490 mm
BLANCO PLEON 6	-2,5 mm	595 mm	490 mm
BLANCO PLEON 6 Split	-2,5 mm	595 mm	490 mm
BLANCO PLEON 8	-60 mm	680 mm	490 mm
BLANCO PLEON 9	-30 mm	840 mm	480 mm
BLANCO PRECIS Medium with drainer	-16 mm	760 mm	480 mm
BLANCO SITY XL 6 S	-3 mm	980 mm	480 mm
BLANCO SONA 45 S	+2 mm	760 mm	480 mm
BLANCO SONA 5 S	+2 mm	840 mm	480 mm
BLANCO SONA 6 S	+2 mm	980 mm	480 mm
BLANCO SONA XL 6 S	+2 mm	980 mm	480 mm
BLANCO SONA 8 S	+2 mm	1140 mm	480 mm
BLANCO TRISONA 6 S	-10 mm	980 mm	490 mm
BLANCO ZENAR 45 S	+14 mm	840 mm	490 mm
BLANCO ZENAR 5 S	+14 mm	895 mm	490 mm
BLANCO ZENAR XL 6 S	-16 mm	980 mm	490 mm
BLANCO ZENAR XL 6 S Compact	+14 mm	760 mm	490 mm
BLANCO ZENAR XL 6 S DGP	-16 mm	980 mm	490 mm
BLANCO ZIA 40 S	-11 mm	595 mm	480 mm
BLANCO ZIA 45 S	-10 mm	760 mm	480 mm
BLANCO ZIA 45 SL	-10 mm	840 mm	480 mm
BLANCO ZIA 5 S	-10 mm	840 mm	480 mm
BLANCO ZIA 6 S	-11 mm	980 mm	480 mm
BLANCO ZIA XL 6 S	-10 mm	980 mm	480 mm
BLANCO ZIA XL 6 S Compact	-10 mm	760 mm	480 mm
BLANCO ZIA 8 S	-5 mm	1140 mm	480 mm
BLANCO ZIA 9	-30 mm	840 mm	480 mm



BLANCO


BLANCOMIDA HD












1

i

BLANCOMIDA HD







BLANCO

BLANCO GmbH + Co KG
Technischer Kundendienst
Tel.: +49 7045 44-81 419
info@blanco-germany.com
www.blanco-germany.com